



## NIVA LIFE ISITICILI HAVA PERDELERİ

### TEKNİK ÖZELLİKLERİ

		KLC - H100	KLC - H120	KLC - H140	KLC - H160	KLC - H180	KLC - H200
GÜÇ KAYNAĞI	V/P/Hz	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50
MOTOR GÜCÜ	W	370	370	370	370	370	370
MOTOR HIZI	Rpm	1000/1200/1400	1000/1200/1400	1000/1200/1400	1000/1100/1400	1000/1100/1400	1000/1100/1400
ISISAL GÜÇ	Kw	9	10	12	14	16	18
HAVA HIZI	m/Sn	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7
HAVA DEBİSİ	m <sup>3</sup> /h	1250/1550/2300	1600/2100/2450	1950/2400/2750	2350/2800/3200	2850/3150/3450	3000/3450/4000
SES SEVİYESİ	db-(A)	52/54/58	54/56/60	54/56/60	54/58/61	54/59/62	56/58/62
GİRİŞ ÇIKIŞ ISISI	°C	20-48	20-48	20-48	20-48	20-48	20-48
FAN ÇAPı	mm	120	120	120	120	120	120
EN/BOY/Y	mm	190/1050/270	1090/1250/270	190/1450/270	190/1650/270	190/1850/270	190/2050/270
AĞIRLIK	Kg	25,4	28,6	31,8	35	38,2	41,4
KAPı YÜKSELİĞİ	cm	400	400	400	400	400	400



**NIVA HAVA PERDELERİ**

*iklimi siz belirleyin...*



## NIVA LINDA ISITICILI HAVA PERDELERİ

### TEKNİK ÖZELLİKLERİ

		KLC - LH100	KLC - LH120	KLC - LH140	KLC - LH160	KLC - LH180	KLC - LH200
GÜÇ KAYNAĞI	V/P/Hz	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50	380-400/3/50
MOTOR GÜCÜ	W	370	370	370	370	370	370
MOTOR HIZI	Rpm	1000/1200/1400	1000/1200/1400	1000/1200/1400	1000/1100/1400	1000/1100/1400	1000/1100/1400
ISISAL GÜÇ	Kw	6	7	8	9	11	12
HAVA HIZI	m/Sn	6/7,0/8,7	6/7,0/8,7	6/7,0/8,7	6/7,0/8,7	6/7,0/8,7	6/7,0/8,7
HAVA DEBİSİ	m <sup>3</sup> /h	1250/1450/2220	1600/2050/2300	1950/2300/2550	2350/2650/3100	2850/2950/3300	3000/3300/3900
SES SEVİYESİ	db-(A)	52/54/58	54/56/60	54/56/60	54/58/61	54/59/62	56/58/63
GİRİŞ ÇIKIŞ ISISI	°C	19-38	19-38	19-38	19-38	19-38	19-38
FAN ÇAPI	mm	120	120	120	120	120	120
EN/BOY/Y	mm	190/1050/270	1090/1250/270	190/1450/270	190/1650/270	190/1850/270	190/2050/270
AĞIRLIK	Kg	24	26	28	30	32	34
KAPI YÜKSELİĞİ	cm	250	250	250	250	250	250

## NIVA LINDA ISITICISIZ HAVA PERDELERİ

### TEKNİK ÖZELLİKLERİ

		KLC - L100	KLC - L120	KLC - L140	KLC - L160	KLC - L180	KLC - L200
GÜÇ KAYNAĞI	V/P/Hz	220/50	220/50	220/50	220/50	220/50	220/50
MOTOR GÜCÜ	W	370	370	370	370	370	370
MOTOR HIZI	Rpm	1000/1200/1400	1000/1200/1400	1000/1200/1400	1000/1100/1400	1000/1100/1400	1000/1100/1400
HAVA HIZI	m/Sn	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7	7/10,0/12,7
HAVA DEBİSİ	m <sup>3</sup> /h	1250/1550/2300	1600/2100/2450	1950/2400/2750	2350/2650/3100	2850/3150/3450	3000/3450/4000
SES SEVİYESİ	db-(A)	52/54/58	54/56/60	54/56/60	54/58/61	54/59/62	56/58/62
FAN ÇAPI	mm	20	120	120	120	120	120
EN/BOY/Y	mm	180/1050/220	180/1250/220	180/1450/220	180/1650/220	180/1850/220	190/2050/220
AĞIRLIK	Kg	16	18	20	22	24	25
KAPI YÜKSELİĞİ	cm	350	350	350	350	350	350




**NIVA HAVA PERDELERİ**

*iklimi siz belirleyin...*


# NİVA



HAVA PERDESİZ



HAVA PERDELİ



Yetkili Satıcı



[www.nivahavaperdesi.com](http://www.nivahavaperdesi.com)



**NVA**

**HAVA PERDELERİ**

*iklimi siz belirleyin...*